

PowerForma

700V 28KWh

High C-rate, High Power
Graphene Supercapacitor
Energy Storage System



Product Specifications

Part Number	SCE700V28KHP
Nominal Voltage	702.0 V/DC
Cell Type	Graphene Supercapacitor
KWh	28.00 KWh
Amp-hours	40
Max Charge Voltage	0.0 V/DC
Cutoff Voltage	0.0 V/DC
ESR/AC @1KHz	<30mΩ
Max Charge Current	240 A
Max Discharge Current	240 A
Cells Self-discharge Rate	2% per month
Cycle Life	40,000
Recommended SOC Range	10%~98%
Max Depth of Discharge	100%
Round Trip Efficiency	97%
Monitoring Data	Module Voltage, SOC, Cell Temp
Indicator Light Display	Capacity %
Communication	RS485
Series Connection	Not Permitted
Parallel Connection	Unlimited

Compliance Information

Certificates Compliant	CE:EN 62133:2013, EN 55032:2015+AC:2016, EN 55035:2017, EN 61000-3-2:2014, EN 61000-3-3:2013
------------------------	--

Environmental Information

Discharge Temperature	-40°C~+60°C
Charge Temperature	-40°C~+60°C
Cooling Method	Natural cooling
Operating Humidity	0~90% RH Non-condensing
IP Grade	IP55

Mechanical Specifications

Weight	580 Kg
Dimensions (W x D x H)	1280 x 720 x 1869 (mm)